













Accessories

Picture	Description	Unit	Order No.
	Set of D38 suction accessory <ul style="list-style-type: none"> • Include NE701、NE708、EX627、NE703、NE706 • Optional 	Set	NE724
	Set of D50 suction accessory <ul style="list-style-type: none"> • Include NE702、NE709、EX710、NE704、NE707 • Optional 	Pcs	NE725
	D38 high performance hose <ul style="list-style-type: none"> • Meet to RoHS, FDS21 CFR 177.2600 and 178.2010 • Oil and chemical resistance. • Size: Φ38mm • Length: 3m • Optional 	Pcs	NE701-3
			Please mark out length when ordering. Eg: NE701-6 standards for 6m
	D50 high performance hose <ul style="list-style-type: none"> • Meet to RoHS, FDS21 CFR 177.2600 and 178.2010 • Oil and chemical resistance. • Size: Φ50mm • Length: 3m • Optional 	Pcs	NE702-3
			Please mark out length when ordering. Eg: NE702-6 standards for 6m
	D38 Conductive plastic suction nozzle <ul style="list-style-type: none"> • Size: Φ38mm • Length: 240mm • Optional 	Pcs	NE703
	D50-500 Aluminium suction nozzle <ul style="list-style-type: none"> • Surface anodization • Size: Φ50mm • Length: 500mm • Optional 	Pcs	NE704






Remark: Please use TOP company original accessory, otherwise will affect machine guarantee period.

Accessories

Picture	Description	Unit	Order No.
	D50-500 Aluminium suction nozzle <ul style="list-style-type: none"> • Surface anodization • Size: Φ50mm • Length: 500mm • Optional 	Pcs	NE705
	D38-500 SUS304 suction nozzle <ul style="list-style-type: none"> • Size: Φ38mm • Length: 500mm • Optional 	Pcs	EX630
	D50-500 SUS304 suction nozzle <ul style="list-style-type: none"> • Size: Φ50mm • Length: 500mm • Optional 	Pcs	EX631
	D38 Plastic brush <ul style="list-style-type: none"> • Size: Φ38mm • Optional 	Pcs	NE706
	D50 Plastic brush <ul style="list-style-type: none"> • Size: Φ50mm • Optional 	Pcs	NE707
	D38-450 drag <ul style="list-style-type: none"> • Good suction ability and smart using • Two rubber lines for liquid cleaning • Size: Φ38mm • Width: 450mm • Optional 	Pcs	NE708







Remark: Please use TOP company original accessory, otherwise will affect machine guarantee period.

Accessories

Picture	Description	Unit	Order No.
	<ul style="list-style-type: none"> • Good suction ability and smart using • Two rubber lines for liquid cleaning • Size: $\Phi 50\text{mm}$ • Width: 450mm • Optional 	Pcs	NE709
	<ul style="list-style-type: none"> • Good suction ability and smart using • SUS 304 • Size: $\Phi 38\text{mm}$ • Width: 450mm • Optional 	Pcs	EX637
	<ul style="list-style-type: none"> • Good suction ability and smart using • SUS 304 • Size: $\Phi 50\text{mm}$ • Width: 450mm • Optional 	Pcs	EX628
	<ul style="list-style-type: none"> • Size: $\Phi 38\text{mm}$ • Length: 1.3m • Optional 	Pcs	EX627
	<ul style="list-style-type: none"> • Surface anodization • Size: $\Phi 50\text{mm}$ • Length: 1.3m • Optional 	Pcs	NE710






Remark: Please use TOP company original accessory, otherwise will affect machine guarantee period.

Accessories

Picture	Description	Unit	Order No.
	<p>D50 SUS 304 handle pipe</p> <ul style="list-style-type: none"> • Size: $\Phi 50\text{mm}$ • Length: 1.3m • Optional 	Pcs	EX624
	<p>Anti-static HEPA filter</p> <ul style="list-style-type: none"> • Minimum efficiency of 99.95% on 0.3 microns • Size : $\Phi 215 \times \Phi 138 \times 250\text{mm}$ • One included 	Set	EX827
	<p>Phase change freely plug</p> <ul style="list-style-type: none"> • 16A 200-250V/380-415V • 5P(3P+N+PE)6h red, Phase change freely • One included 	Pcs	P551
	<p>Wall type socket</p> <ul style="list-style-type: none"> • 16A 200-250V/380-415V • 5P (3P+N+PE) 6h red, with water proof gland • One included 	Pcs	PS2-65
	<p>High performance hose</p> <ul style="list-style-type: none"> • Inner diameter 40mm, 1.0mm thickness • Transparent color • Optional 	Meter	35100400000
	<p>High performance hose</p> <ul style="list-style-type: none"> • Inner diameter 50mm, 1.0mm thickness • Transparent color • Optional 	Meter	35100500000



Remark: Please use TOP company original accessory, otherwise will affect machine guarantee period.

Accessories

Picture	Description	Unit	Order No.
	High performance hose	Meter	35100750000
	<ul style="list-style-type: none"> • Inner diameter 75mm,1.0mm thickness • Transparent color • Optional 		
	Clamps	Pcs	991R/30-50
	<ul style="list-style-type: none"> • SUS304 • Fastening range: 30-50mm • Optional 		
	Clamps	Pcs	991R/40-60
	<ul style="list-style-type: none"> • SUS304 • Fastening range: 40-60mm • Optional 		
	Clamps	Pcs	991R/70-90
	<ul style="list-style-type: none"> • SUS304 • Fastening range: 70-90mm • Optional 		
	D70/40 SUS304 reducer	Pcs	EX632
	<ul style="list-style-type: none"> • SUS 304 • Size: Φ70mm to Φ40 • Optional 		

Remark: Please use TOP company original accessory, otherwise will affect machine guarantee period.

Accessories

Picture	Description	Unit	Order No.
	<p>D70/50 SUS304 reducer</p> <ul style="list-style-type: none"> • SUS 304 • Size: Φ70mm to Φ50 • Optional 	Pcs	EX633
	<p>D70/75 SUS304 reducer</p> <ul style="list-style-type: none"> • SUS 304 • Size: Φ70mm to Φ75 • Optional 	Pcs	EX658

Remark: Please use TOP company original accessory, otherwise will affect machine guarantee period.