Accessories

Picture	Description	Unit	Order No.
	D38 accessory kit	Set	EX657
	• Include EX601-3、EX627、EX620、EX602、EX603 • Optional		
	Explosion proof conductive hose	Set	EX601-3
	• Meet to ATEX and RoHS directive • Size：Φ38mm • Length：3m • Optional	Please mark out length when ordering. Eg: EX601-6 standards for 6m	
	D38×450 Explosion proof drag	Set	EX620
	• For clean floor easily. • Made from conductive plastic material • Size：Φ38mm • Width：450mm • Optional		
	D38 SUS 304 handle pipe	Set	EX627
	• SUS 304 • Size : Φ38mm • Length : 1.3m • Optional		
	Conductive plastic flat suction nozzle	Pcs	EX602
	• Made from conductive plastic material • Size : 43mm • Length : 240m • Optional		

Remark: Please use TOP company original accessory, otherwise will affect machine guarantee period.

Accessories

Picture	Description	Unit	Order No.
	D38-500 SUS304 flat suction nozzle	Pcs	EX630
	• SUS 304 • Size：Φ38mm • Length：500m • Optional		
	D32 Conductive flat suction nozzle	Pcs	EX623
	• Made from conductive plastic material • Size: Φ32mm • Optional		
	Conductive plastic brush	Pcs	EX603
	• Made from conductive plastic material • Size: Φ43mm • Optional		
	Anti-static HEPA filter	Set	EX615
	• Minimum efficiency of 99.95% on 0.3 microns • Size : Φ210×Φ130×200mm • One included		
	D70/40 SUS304 reducer	Pcs	EX632
	• SUS 304 • Size : From Φ70mm to Φ40 • Optional		
	Anti-static medium filter bag	Set	EX604
	• Size : Φ420mm • One included		

Remark: Please use TOP company original accessory, otherwise will affect machine guarantee period.

Accessories

Picture	Description	Unit	Order No.
	Explosion proof grounding clamp • Spiral grounding cable is 5m (extendable) • Optional	Set	PE10-5
	Grounding plug • Diameter 6mm • One pug end, one Φ5 wiring nose. • Length: 5000mm • Optional	Set	PED6-5000V
	Explosion proof plug • IECEx and ATEX certified • Used for Zone 1 Zone 2 and Zone 21 Zone 22 • Specification: 16A 200-250V 1P+N+PE 6h • Optional	Pcs	CZ0251-740600-01
	Explosion proof socket • IECEx and ATEX certified • Used for Zone 1 Zone 2 and Zone 21 Zone 22 • Specification: 16A 200-250V 1P+N+PE 6h • Optional	Set	CZ0251-440600-01

Remark: Please use TOP company original accessory, otherwise will affect machine guarantee period.